



**ELEVATION**



**PLAN**



**SECTION A-A**

- NOTE:
1. SURFACE TEXTURE OF RAMPS SHALL BE COARSE BROOMING OR NON-SKID TYPE SURFACE.
  2. H = HEIGHT OF CURB (6" IF PW-2.00) ALL MEASUREMENTS IN INCHES.
  3. NO TRAVERSABLE SLOPE ON THE RAMP OR SIDEWALK SHALL EXCEED 12:1 IN THE DIRECTION OF PEDESTRIAN TRAVEL, OR 48:1 (2%) PERPENDICULAR TO THE DIRECTION OF PEDESTRIAN TRAVEL.

APPROVAL

*[Signature]* 3/25/09  
 TOWN ENGINEER DATE

REVISED

MAR 1, 98  
 AUG 1, 01  
 FEB 1, 02  
 MAR 26, 07  
 FEB 25, 09

TOWN OF EASTON  
 AND  
 EASTON UTILITIES  
 STANDARD DETAILS

TYPE "B" SIDEWALK RAMP

ISSUED: MAY 1, 1986

STANDARD NO. PW-4.01

P:\STANDARD\DETAILS\8000 City Details\Easton MD\DETAILS\PW-4.01.dwg Feb 20, 2009 - 1:55pm, (nois)