



PLAN



ELEVATION

SUBSURFACE COMBINATION CONCRETE CURB & GUTTER RAMP & TOP OF CURB 12:1 MAX SLOPE



SECTION A-A

- NOTES:
1. SURFACE TEXTURE OF RAMPS SHALL BE COARSE BRROOMING OR NON-SKID TYPE SURFACE.
 2. NO TRAVERSABLE SLOPE ON THE RAMP OR SIDEWALK SHALL EXCEED 12:1 IN THE DIRECTION OF PEDESTRIAN TRAVEL, OR 48:1 (2%) PERPENDICULAR TO THE DIRECTION OF PEDESTRIAN TRAVEL.
 3. TO BE USED WHERE SIDEWALK IS ADJACENT TO THE CURB.

APPROVAL

[Signature] 2/25/09
 TOWN ENGINEER DATE

REVISED

FEB 25, 09

TOWN OF EASTON
 AND
 EASTON UTILITIES
 STANDARD DETAILS

SIDEWALK RAMPS TYPE "C"
 PARALLEL FOR RETROFIT

ISSUED: MAR 26, 2007

STANDARD NO. PW-4.02

P:\STANDARD\DETAILS\8000 Cty Details\Easton MD\DETAILS\PW-4.02.dwg Feb 20, 2009 - 1:54pm, (nors)